

Schema documentation for places.xsd

december 19, 2019

Table of Contents

- Namespace: "" 1
- Schema(s) 1
 - Main schema places.xsd 1
- Element(s) 1
 - Element administrative_area_level_1 1
 - Element administrative_area_level_2 2
 - Element administrative_area_level_3 2
 - Element administrative_area_level_4 2
 - Element administrative_area_level_5 2
 - Element administrative_area_level_1_short 2
 - Element administrative_area_level_2_short 3
 - Element administrative_area_level_3_short 3
 - Element administrative_area_level_4_short 3
 - Element administrative_area_level_5_short 3
 - Element country_code 4
 - Element country_format_pattern 4
 - Element formatted_name 4
 - Element language 4
 - Element last_modified 5
 - Element latitude 5
 - Element longitude 5
 - Element name 6
 - Element name_short 6
 - Element place_id 6
 - Element place 6
 - Element places 8

Namespace: ""

Schema(s)

Main schema places.xsd

Namespace	No namespace				
Annotations	Identify Database Export Organizations v24 - defines the xml schema for version 2.4 of database exports.				
Properties	<table border="0" style="width: 100%;"> <tr> <td style="width: 150px;">attribute form default:</td> <td>unqualified</td> </tr> <tr> <td>element form default:</td> <td>qualified</td> </tr> </table>	attribute form default:	unqualified	element form default:	qualified
attribute form default:	unqualified				
element form default:	qualified				

Element(s)

Element administrative_area_level_1

Namespace	No namespace
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<xs:element name="administrative_area_level_1" type="xs:string"/>

Element administrative_area_level_2

Namespace	No namespace
Diagram	<p>The diagram shows a box for the element 'administrative_area_level_2' with 'Type' set to 'xs:string'. A line connects this box to a purple box representing the 'xs:string' primitive type. A callout bubble points to the 'xs:string' box with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_2" type="xs:string"/></code>

Element administrative_area_level_3

Namespace	No namespace
Diagram	<p>The diagram shows a box for the element 'administrative_area_level_3' with 'Type' set to 'xs:string'. A line connects this box to a purple box representing the 'xs:string' primitive type. A callout bubble points to the 'xs:string' box with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_3" type="xs:string"/></code>

Element administrative_area_level_4

Namespace	No namespace
Diagram	<p>The diagram shows a box for the element 'administrative_area_level_4' with 'Type' set to 'xs:string'. A line connects this box to a purple box representing the 'xs:string' primitive type. A callout bubble points to the 'xs:string' box with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_4" type="xs:string"/></code>

Element administrative_area_level_5

Namespace	No namespace
Diagram	<p>The diagram shows a box for the element 'administrative_area_level_5' with 'Type' set to 'xs:string'. A line connects this box to a purple box representing the 'xs:string' primitive type. A callout bubble points to the 'xs:string' box with the text: 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_5" type="xs:string"/></code>

Element administrative_area_level_1_short

Namespace	No namespace
-----------	--------------

Diagram	<p>The diagram shows a box labeled 'administrative_area_level_1_short' with a sub-section 'Type' containing 'xs:string'. A line connects this box to a callout box that says 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_1_short" type="xs:string"/></code>

Element administrative_area_level_2_short

Namespace	No namespace
Diagram	<p>The diagram shows a box labeled 'administrative_area_level_2_short' with a sub-section 'Type' containing 'xs:string'. A line connects this box to a callout box that says 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_2_short" type="xs:string"/></code>

Element administrative_area_level_3_short

Namespace	No namespace
Diagram	<p>The diagram shows a box labeled 'administrative_area_level_3_short' with a sub-section 'Type' containing 'xs:string'. A line connects this box to a callout box that says 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_3_short" type="xs:string"/></code>

Element administrative_area_level_4_short

Namespace	No namespace
Diagram	<p>The diagram shows a box labeled 'administrative_area_level_4_short' with a sub-section 'Type' containing 'xs:string'. A line connects this box to a callout box that says 'Built-in primitive type. The string datatype represents character strings in XML.'</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_4_short" type="xs:string"/></code>

Element administrative_area_level_5_short

Namespace	No namespace
Diagram	<p>The diagram shows a box labeled 'administrative_area_level_5_short' with a sub-section 'Type' containing 'xs:string'. A line connects this box to a callout box that says 'Built-in primitive type. The string datatype represents character strings in XML.'</p>

Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="administrative_area_level_5_short" type="xs:string"/></code>

Element country_code

Namespace	No namespace
Annotations	Valid terms from ISO-3166-1 alpha-2. Two letter codes.
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<pre><xs:element name="country_code" type="xs:string"> <xs:annotation> <xs:documentation>Valid terms from ISO-3166-1 alpha-2. Two letter codes.</xs:documentation> </xs:annotation> </xs:element></pre>

Element country_format_pattern

Namespace	No namespace
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="country_format_pattern" type="xs:string"/></code>

Element formatted_name

Namespace	No namespace
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="formatted_name" type="xs:string"/></code>

Element language

Namespace	No namespace
Annotations	For future use. Not populated in this version.

Diagram	<p>language Type xs:string</p> <p>For future use. Not populated in this version.</p> <p>xs:string Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<pre><xs:element name="language" type="xs:string"> <xs:annotation> <xs:documentation>For future use. Not populated in this version.</xs:documentation> </xs:annotation> </xs:element></pre>

Element last_modified

Namespace	No namespace
Annotations	Example "Fri Aug 26 2016 15:30:12 GMT-0700 (PDT)"
Diagram	<p>last_modified Type xs:string</p> <p>Example "Fri Aug 26 2016 15:30:12 GMT-0700 (PDT)"</p> <p>xs:string Built-in primitive type. The string datatype represents character strings in XML.</p>
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<pre><xs:element name="last_modified" type="xs:string"> <xs:annotation> <xs:documentation>Example "Fri Aug 26 2016 15:30:12 GMT-0700 (PDT)"</xs:documentation> </xs:annotation> </xs:element></pre>

Element latitude


Namespace	No namespace
Diagram	<p>latitude Type xs:float</p> <p>xs:float Built-in primitive type. Corresponds to the IEEE single-precision 32-bit floating point type [IEEE 754-1985].</p>
Type	xs:float
Properties	content: simple
Used by	Element place
Source	<pre><xs:element name="latitude" type="xs:float"/></pre>

Element longitude


Namespace	No namespace
Diagram	<p>longitude Type xs:float</p> <p>xs:float Built-in primitive type. Corresponds to the IEEE single-precision 32-bit floating point type [IEEE 754-1985].</p>
Type	xs:float
Properties	content: simple

Used by	Element place
Source	<code><xs:element name="longitude" type="xs:float"/></code>


Element name

Namespace	No namespace
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="name" type="xs:string"/></code>

Element name_short

Namespace	No namespace
Diagram	
Type	xs:string
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="name_short" type="xs:string"/></code>


Element place_id

Namespace	No namespace
Diagram	
Type	xs:integer
Properties	content: simple
Used by	Element place
Source	<code><xs:element name="place_id" type="xs:integer"/></code>

Element place

Namespace	No namespace
-----------	--------------

Diagram



Properties	content: complex
Used by	Element places
Model	place_id , language , country_code , name , name_short , administrative_area_level_1 , administrative_area_level_2 , administrative_area_level_3 , administrative_area_level_4 , administrative_area_level_5 , administrative_area_level_1_short , administrative_area_level_2_short , administrative_area_level_3_short , administrative_area_level_4_short , administrative_area_level_5_short , longitude , latitude , formatted_name , country_format_pattern , last_modified
Children	administrative_area_level_1 , administrative_area_level_1_short , administrative_area_level_2 , administrative_area_level_2_short , administrative_area_level_3 , administrative_area_level_3_short , administrative_area_level_4 , administrative_area_level_4_short , administrative_area_level_5 , administrative_area_level_5_short , country_code , country_format_pattern , formatted_name , language , last_modified , latitude , longitude , name , name_short , place_id
Instance	<pre> <place> <place_id>{1,1}</place_id> <language>{1,1}</language> <country_code>{1,1}</country_code> <name>{1,1}</name> <name_short>{1,1}</name_short> <administrative_area_level_1>{1,1}</administrative_area_level_1> <administrative_area_level_2>{1,1}</administrative_area_level_2> <administrative_area_level_3>{1,1}</administrative_area_level_3> <administrative_area_level_4>{1,1}</administrative_area_level_4> <administrative_area_level_5>{1,1}</administrative_area_level_5> <administrative_area_level_1_short>{1,1}</administrative_area_level_1_short> <administrative_area_level_2_short>{1,1}</administrative_area_level_2_short> <administrative_area_level_3_short>{1,1}</administrative_area_level_3_short> <administrative_area_level_4_short>{1,1}</administrative_area_level_4_short> <administrative_area_level_5_short>{1,1}</administrative_area_level_5_short> <longitude>{1,1}</longitude> <latitude>{1,1}</latitude> <formatted_name>{1,1}</formatted_name> <country_format_pattern>{1,1}</country_format_pattern> <last_modified>{1,1}</last_modified> </place> </pre>
Source	<pre> <xs:element name="place"> <xs:complexType> <xs:sequence> <xs:element ref="place_id"/> <xs:element ref="language"/> <xs:element ref="country_code"/> <xs:element ref="name"/> <xs:element ref="name_short"/> <xs:element ref="administrative_area_level_1"/> <xs:element ref="administrative_area_level_2"/> <xs:element ref="administrative_area_level_3"/> <xs:element ref="administrative_area_level_4"/> <xs:element ref="administrative_area_level_5"/> <xs:element ref="administrative_area_level_1_short"/> <xs:element ref="administrative_area_level_2_short"/> <xs:element ref="administrative_area_level_3_short"/> <xs:element ref="administrative_area_level_4_short"/> <xs:element ref="administrative_area_level_5_short"/> <xs:element ref="longitude"/> <xs:element ref="latitude"/> <xs:element ref="formatted_name"/> <xs:element ref="country_format_pattern"/> <xs:element ref="last_modified"/> </xs:sequence> </xs:complexType> </xs:element> </pre>

Element places

Namespace	No namespace
Diagram	<pre> graph LR places[places] --- 1..∞ place[place] </pre>
Properties	content: complex
Model	place+
Children	place
Instance	<pre> <places> <place>{1,unbounded}</place> </places> </pre>
Source	<pre> <xs:element name="places"> </pre>


```
<xs:complexType>
  <xs:sequence>
    <xs:element ref="place" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
</xs:element>
```